TRUCK & BUS TIRES



RANGE OF STARMAXX

TRUCK & BUS TIRES

Quality Charles Charles Charles Charles Charles Charles St. Charles Ch

DESCRIPTION

- * For load capacity on various speeds, and inflation figures, please consult your sales representative.
- ** Load capacity on standard speed and weight.
- Our company is entitled to make any change on any information in this brochure, without further notice.
- This brochure annuls all the previous brochures.
- All figures are for reference; our company is not responsible for printing errors.

RANGE OF STARMAXX TBR TIRES

LONG HAUL



















GZ 300

GY 800

GZW 350



MIXED SERVICE



DC 700



OFF ROAD



URBAN













GH 100



GH 100 pattern is suitable to use on all axles on buses. For trucks, it can be used at steer or non-powered second axle pattern. Tread pattern geometry is optimized to deliver steering and grip on wet. Exceptional carcass structure provides good braking performance.










ALL SIZES

295/80R 22.5	152/148 M
315/80R 22.5	154/150 M (156/150L)



■ PATTERN PROPERTIES


It offers excellent grip and short braking distance with numerous sipes and z-shaped circumferential



Circumferential grooves drain water quickly and efficiently.

Computer designed tire profile and block arrays offer safe and balanced driving.

Optimised tread design resistant against irregular wear by balancing the pressure equally under load.



Special tread compound and robust structure provide longevity and economic fuel consumption.

 Excellent carcass structure is suitable for retreading many times.









GH 105



GH 105 is a steer pattern that is designed for trucks provides balanced drive, comfort and maneuverability on asphalt roads. Wide tread area and multi dimensional sipes enhance mileage performance and deliver high traction. Offers outstanding grip on wet and dry roads.










ALL SIZES

11R 22.5	148/145 M
12R 22.5	152/148 M



■ PATTERN PROPERTIES

Wide shoulder blocks provide lateral balance and enhance a smooth driving Medium density sipec provide superior handling and short brake distance.



Circumferential grooves drain water quickly and efficiently.

Indented side blocks provide safe brake distance even if the tire is worn.

Optimised tread design provides resistant against irregular wear by balancing the pressure equally under load



Excellent carcass structure is suitable for retreading

Special tread compound and robust structure provide longevity and economic low fuel consumption.







GH 110 ECOPLANET



GH 110 Ecoplanet is suitable for use on all axles on buses. For trucks it can be used at steer or non-powered second axle pattern. Special tread pattern design ensures even wear throughout the tyre's lifespan. Multiple grooves allow fast water discharge and provide exception al wet handling.









ALL SIZES

295/80R 22.5	152/148 M
315/80R 22.5	154/150 M (156/150L)



■ PATTERN PROPERTIES

Circumferential ribs with numerous sipes enables exceptional grip.



Circumferential grooves drain water quickly and efficiently.

Computer designed tire pattern and five circumferential ribs ensure balance and comfort. Optimized tread pattern maintains equal pressure distribution under load which enables resistance against irregular abrasion.



 Exceptional carcass structure is appropriate for retreading.











DH 100



DH 100 is a drive axle pattern designed for busses and trucks. Provides exceptional traction on asphalt roads. Block array decreases wear and increases tire's wet grip performance. Optimized tread profile provides resistance against irregular wear and heavy loads. Delivers safe riding and mileage in demanding winter conditions. Offers high retreadability.










ALL SIZES

285/70R 19.5 146/144 L (140/137 M) 11R 22.5 148/145 M 12R 22.5 152/148 M 295/80R 22.5 DH100 **PLUS** 152/148 M 315/80R 22.5 154/150 M (156/150 L)




PATTERN PROPERTIES

315/70R 22.5 154/150 L (152/148 M)

Optimised tread depth provides long life.

Block array structure provides high traction by generating numerous road holding points on asphalt in any kind of weather conditions




Reinforced grooves drain water quickly interconnected blocks and efficiently. and carefully arranged block array provide balanced

Optimised tread design provides resistance against irregular wear by balancing the pressure equally under load.



 Excellent carcass structure is suitable for retreading.



LZ 300



LZ 300 is a free rolling trailer tire. Its special pattern design enables exceptional wet grip. Optimised tread area provides resistance to irregular wear and strong carcass structure is resistant to cuts and stone retention. Its special compound promises longevity.










SIZE

385/65R 22.5 160 K (158L)



PATTERN PROPERTIES

Five circumferential ribs provide resistance against irregular wea




Circumferential grooves drain water quickly and efficiently.

Lateral sipes provide short ____ braking distance.

Optimised tread design provides resistance against irregular wear by balancing the pressure equally under load.



High-strength carcass with completely steel frame provides long life and it is suitable for retreading.







LH 100 ECOPLANET



LH 100 Ecoplanet is a fuel efficient free rolling trailer tire. Provides exceptional wet grip performance. Its strong carcass structure provides longevity and reduces irregular wear.









ALL SIZES


215/75R 17.5 135/133 J 235/75R 17.5 143/141 J (144/144 F) 245/70R 17.5 143/141 J (146/146 F) 245/70R 19.5 141/140 J



■ PATTERN PROPERTIES

Five circumferential ribs provide excellent lateral . cornering stability

Best optimized pattern design provides low fuel consumption with a specially developed tread compound.



provides exceller handling on wet surface.

Special angled circumferential grooves drain water quickly and efficiently and minimize pebble penetration inside

Use of position is for trailer. Not recommended for either front or traction



Att steet construction, specifically designed low profile structure meet all criteria for usage on roads and offers superior comfort.

Special belt construction, five circumferential blocks, full shoulder pattern design and optimized footprint provide resistance against irregular wear.





LZ 305




LZ 305 is a free rolling trailer tire. Special tread desing provides exceptional grip on wet and good mileage performance.





ALL SIZES

215/75R 17.5 135/133 J 235/75R 17.5 143/141 J(144/144 F) 385/65R 22.5 160 K(158L)



PATTERN PROPERTIES

Five circumferential ribs provide resistance against irregular wear.



Circumferentia grooves drain water quickly and efficiently. Blocked structure pattern provides superior handling on wet and snowy surfaces.

Lateral sipes

Optimised tread design provides resistance against irregular wear by balancing the pressure equally under load.



High-strength carcass with completely steel frame provides long life and can be retread several times.







GZ 300



DH 100 is a drive axle pattern designed for busses and trucks. Provides exceptional traction on asphalt roads. Block array decreases wear and increases tire's wet grip performance. Optimized tread profile provides resistance against irregular wear and heavy loads. Delivers safe riding and mileage in demanding winter conditions. Offers high retreadability.



LCR







ALL SIZES

8.5R 17.5 121/120 L 215/75R 17.5 126/124 M 225/75R 17.5 129/127 M 235/75R 17.5 132/130 M



PATTERN PROPERTIES

Stone rejecters inside circumferential grooves prevent pebble penetration inside grooves, protecting tread and carcass.

Unique pattern design and optimized block array provide high steering



Z block structure provides excellent traction and short brake distance.

Circumferentia grooves drain water quickly and efficiently. Horizantal sipes between circumferential blocks increase traction shorten brake distance and provide grip on wet road and resistance to irregular wear thanks to its speacial belt construction, optimized footprint and rigid shoulders



All steel construction & specifically designed low profile structure meet all criteria for usage on highway and offers superior comfort.









GZW 350



GZW 350 pattern is designed for light commercial vehicles and suitable to use on all axles. Strong carcass structure provides high retreadibility. Delivers balanced drive, perfect comfort, high maneuverability on asphalt roads. Provides exceptional grip on wet. The pattern design enhances mileage performance.



LCR







SIZE

215/75R 17.5 126/12 4M



PATTERN PROPERTIES

Stone rejecters inside circumferential grooves prevent pebble penetration inside grooves, protecting tread and carcass

Unique pattern design and optimized block array provide high steering



Z block structure provides excellent traction and short brake

grooves drain water quickly and efficiently. Horizantal sipes between circumferential blocks increase traction shorten brake distance and provide grip on wet road. It provides long life and resistance to irregular wear thanks to its speacial belt construction, optimized footprint and rigid shoulders.



All steel construction & specifically designed low profile structure meet all criteria for usage on highway and offers superior comfort.











DZ 300



DZ 300 is drive axle (traction) pattern designed for light commercial trucks and busses. Having 3PMSF and M+S, DZ 300 provides exceptional grip and braking on snowy roads. Delivers high mileage thanks to its special compound.



LCR







ALL SIZES

8.5R 17.5 121/120 L 215/75R 17.5 126/124 M 225/75R 17.5 129/127 M 235/75R 17.5 132/130 M 245/70R 19.5 136/134 M

EU LABEL Avarage values from all size, on this specific model TO THE STATE OF THE

■ PATTERN PROPERTIES

The sipes between the blocks offer enhanced traction, shortened brake distance, exellent grip on wet



Circumferential and lateral grooves drain water quickly and efficiently. It provides high traction and excellent grip with its aggressive block pattern structure. Interconnected blocks increase usage life.

Special belt

construction and optimized footprint offer long life and Optimised tread depth provides long life.



All steel construction & specifically designed low profile structure meet all criteria for usage on highway and offers superior comfort.







GC 700



GC 700 is an all position pattern for mixed service (On and Off road) use. Strong carcass structure exceptional resistance to cutting and chipping. Wide footprint helps enhance mileage; improves handling and stability. Suitable for retreading multiple times.










ALL SIZES

12R 22.5 152/148 L 13R 22.5 156/150 K 315/80R 22.5 156/150 K(154/150L)



PATTERN PROPERTIES

Different sizes of block design provide reduced pattern noise

Stone rejecters located among blocks minimize pebble penetration

Offers superior handling and braking performance with Zigzag block structure on roads and construction

grooves drain water/mud/sn ow quickly and

interconnected blocks provide balanced and comfortable driving.

Wide and full shoulder structure increase lateral balance and enhance damage resistance

Optimised tread design resistance against irregular wear by balancing pressure equally under load.



carcass structure is suitable for retreading many time







DC 700



DC 700 is a drive axle pattern suitable for mixed service. Its special tread compound provides resistance to tears. Delivers high mileage and comfort on asphalt roads. The directional tread design offers exceptional traction; effective soil discharge and drainage performance.









ALL SIZES


12R 22.5	152/148 L
315/80R 22.5	156/150 K (154/150L)



PATTERN PROPERTIES

Spall ejectors located among the block arrays reduce the rock crushing thorughout the grooves.

Reinforced block arrays ensure steady driving on the motorway and enhance of the blocks on off road.



Optimized groove design enables excelent water/mud/snow discharge.

Directional block design maintains the steady driving on the motorway and also provides maximum grip

motorway and also provides maximum grip and traction on the wet and mudier ground.

Ultra durable carcass structure allows to retread.

Thanks to optimized tread profile, tire distribute the pressure equal under heavyload and so becomesdurable against the irregular wearout



Exclusive tread compound provides endurance against wearout, cuts and splits.











LCW 710



LCW 710 is free rolling trailer tire suitable for mixed service (On and Off road) applications. Special compound provides exceptional resistance against wear and tears, and offers longevity.









SIZE


385/65R 22.5

160K(158L)



■ PATTERN PROPERTIES

Reinforced interconnected blocks provide balanced and comfortable driving and enhance resistance in site conditions.



Optimized grooves drain water/mud/snow quickly and efficiently.

Optimised tread pattern which consists of wide channels and big blocks provides superior handling and longevity on wet on muddy surfaces.



Excellent carcass structure is suitable for retreading many times.

Special tread compound provides resistance to wears, cuts and breaks.







GY 800



GY 800 is suitable for all axles and for mixed service (% 20 On and % 80 Off road) usage.










SIZE

13R 22.5 156/150 K



■ PATTERN PROPERTIES

Wide tread profile provides stability and uniformity while enabling outstanding handling performance



Stone ejectors keep the grooves clear all time.

Robust carcass structure delivers exceptional durability under heavy loads, offers resistance to cutting and chipping.



Excellent carcass structure is suitable for retreading many times. Special tread compound provides resistance to wears, cuts and breaks.





DM 905



DM 905 is an drive axle pattern that is suitable for off road service. Also it can be used as an all position pattern in challenging conditions. Robust tread blocks enhance exceptional resistance to tears and offer outstanding traction in tough road conditions. Provides excellent self cleaning feature thanks to its special lug design.










SIZES

13R 22.5 154/150 K (156/150 G)

PATTERN PROPERTIES

Reinforced block arrays provide steady driving performance and enhace the wearout endurance of the



grooves reduce rock squeezing among.

Robust block arrays provides Through optimized tread profile, full/empty rate and tread depth; tyre provides steady driving off the road and high mileage.



durable carcass structure allows to retread.

Exclusive compound provides endurance against wearout, cuts, splits and laceration.







GU 500



GU 500 is a all season bus tire that is suitable for all positions. Robust compound provide exceptional service for innercity narrow streets, curbs, stop-and-go traffic. Delivers exceptional mileage performance. Offers high retreadability thanks to its strong carcass structure.









SIZE

275/70R 22.5

150/145J (152/148E)



PATTERN PROPERTIES

Specially developed tread composition and four wide circumferential rib which seperated each other with sipes provides ultimate performance and longevity in intercity usage.



Different size block array reduces tread noise level. Z-shaped channels and thin sipes located on tread provide safety and traction on wet surfaces.









GUW 550



GUW 550 is a winter bus tire that is suitable to use as all position tire on innercity vehicles. Robust compound provides exceptional service for innercity narrow streets, curbs, stop-and-go traffic. Offers high retreadability thanks to its strong carcass structure. 3PMSF and M+S markings on the tire ensure better grip and braking on snow. Wide tread design enhances mileage performance of the tire.










ALL SIZES

275/70R 22.5 150/145J (152/148E)



■ PATTERN PROPERTIES









DUW 550



Suitable to use as drive axle pattern, DUW 550 is designed for innercity vehicles especially for buses. Having 3PMSF and M+S markings on the tire ensure better grip and braking on snow. Wide tread design enhances mileage performance of the tire.










SIZE

275/70R 22.5

150/145J (152/148E)



PATTERN PROPERTIES



circumferantial ribs provide safety, balanced driving and lateral


water/mud/snow discharge thanks to four

Optimized tread width and tread depth, longevity and resistance to unstable abrasion.



sidewalls against to pavement friction damages happen occur approaching bus stops.





2019 EDITION

Starmaxx Truck and Bus Tires are characterized by quality workmanship, leading edge technology, unique tread designs and excellent performance offering perfect mix of quality and value.

Our success depends on exceeding the expectations of our customers and standing behind everything we do.

Our aim is to build long term relationships with our customers by providing excellent service, quality and delivering our promises.

DISTRIBUTED BY



Headquarters - Factory

Petlas Tire Industry and Trade Kindam Mahallesi Ankara - Kayseri Caddesi No: 2/1 Kırşehir / TÜRKİYE T: +90 386 252 65 50 • F: +90 386 252 65 70

Int. Sales & Marketing

Petlas Tire Industry and Trade Ako Kule, Söğütözü Mh. 2178. Cad. No: 6 06530 Ankara / TÜRKİYE T. +90 312 309 30 30 • F: +90 312 309 22 66

Petlas Tire USA

1111 E. Lincolnway STE 205 Cheyenne, WY 82001 USA



